



## Thermal Weapon Sights



#### **OVERVIEW**

WOLFHOUND is the "full-spec" thermal weapon sight available on a commercial market. Shooters, hunters can now enjoy quality, reliability, performance of this unit and exceptional customer service provided by friendly and professional GSCI Team. In additional to bestselling WOLFHOUND-38 and WOLFHOUND-64 models, we now introduce the game-changing WOLFHOUND L-Series that feature much longer observation distances and same great quality and features. Choose WOLFHOUND thermal weapon sights if you do not agree to compromise.

#### **KEY FEATURES**

- ▶ Objective Lens: 50mm and 100mm
- ► FPA: 384x288 and 640x480
- ► Refresh Rate: up to 50Hz
- ▶ Battery life: up to 11 hours
- ▶ Deer Detection Range: up to 2700 m
- ▶ 7-Year Warranty
- Made in Canada. ITAR-free
- Available for Worldwide Export

#### **DETECTION BANGES**

#### **WOLFHOUND**

300 n



## WOLFHOUND-L

à

600 m



2700 m

Developed and manufactured by

GENERAL STARLIGHT COMPANY INC.

PO 32154, Richmond Hill, ON, L4C 9S3, Canada.

Tel.: +1.905.850.0990 || E-mail: gsci@gsci1.com || Web: www.gsci1.com

DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual view and values of the working model and are subject to change without prior notice by the sole discretion of the Manufacturer. Contact us for further clarifications. Information contained in this message is proprietary of General Starlight Co., Inc. protected from disclosure, highly confident, and may be privileged. This information is intended to be conveyed only to designated recipients of the message. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, unauthorized used distribution or copying of this material is strictly prohibited and may be unlawful. Copyright © 1992-2016 General Starlight Co., Inc. Canada. All rights reserved.



## Thermal Weapon Sights

#### **WOLFHOUND DISTINCTIVE FEATURES**


#### What makes WOLFHOUND scopes so unique?

- High-Resolution Uncooled FPAs: 384x288 or 640x480
- Fast Refresh Rate: up to 50Hz
- Quality and "Fast" Low-F-Number Germanium Lenses
- Ultra-Low Power Consumption
- 8 Configurable Individual Profiles
- Up to 16 Reticle Types
- Completely Silent System Operation
- Precision-Machined Rugged Aluminum Body
- Lowest Heat Dissipation
- · Video-out for External Display and Recording
- High-Resolution Micro-OLED Displays 800x600
- 24-hour Operation
- Manual and Automatic FPA Sensitivity Adjustment
- Manual Display Brightness Adjustment
- Black Hot / White Hot Polarity Control
- External Battery Pack Compatibility
- Complete Dust- and Waterproof Protection
- Available for Worldwide Export
- 7-Year Manufacturer's Warranty
- Made in Canada





# Thermal Weapon Sights



DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual view and values of the working model and are subject to change without prior notice by the sole discretion of the Manufacturer. Contact us for further clarifications. Information contained in this message is proprietary of General Starlight Co., Inc. protected from disclosure, highly confident, and may be privileged. This information is intended to be conveyed only to designated recipients of the message. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, unauthorized use, distribution or copying of this material is strictly prohibited and may be unlawful. Copyright © 1992-2016 General Starlight Co., Inc. Canada. All rights reserved.



# Thermal Weapon Sights

## Available Models

### WOLFHOUND

■ 50mm f/1.0 Objective Lens



#### **WOLFHOUND-38**


- 384x288 FPA
- 50Hz Refresh Rate
- 8°x6° Field of View
- 3X Optical Magnification
- up to 11 Hours Battery Life

#### **WOLFHOUND-64**

- 640x480 FPA
- 25Hz Refresh Rate
- 12°x10° Field of View
- 2X Optical Magnification
- up to 10 Hours Battery Life

### **WOLFHOUND-L**

■ 100mm f/1.4 Objective Lens



#### **WOLFHOUND-38-L6**

- 384x288 FPA
- 50Hz Refresh Rate
- 4°x3° Field of View
- 6X Optical Magnification
- up to 11 Hours Battery Life

#### **WOLFHOUND-64-L4**

- 640x480 FPA
- 25Hz Refresh Rate
- 6°x5° Field of View
- 4X Optical Magnification
- up to 10 Hours Battery Life

DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual view and values of the working mode and are subject to change without prior notice by the sole discretion of the Manufacturer. Contact us for further clarifications. Information contained in this message is proprietary of General Starlight Co., Inc. protected from disclosure, highly confident may be privileged. This information is intended to be conveyed only, designated recipients of the message. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, unauthorized use, distribution o copying of this material is strictly prohibited and may be unlawful. Copyright © 1992-2016 General Starlight Co., Inc. Canada. All rights reserved.



# Thermal Weapon Sights

## Technical Data









Objective Lens Focal Length				
Objective Lens F-number				
Field Of View, Degrees				
Magnification Opti				
Magnification Digital				
Max. Total Magnification				
FPA Resolution				
FPA Sensitivity				
FPA Refresh Rate		Г		
Power Source				
Battery life, hours				
Max. Detection, Rabbit (0.3x0.1m), m				
Max. Detection, Deer (1.5x0.5m), m				
Dimensions, mm				
Weight, grams				
Warranty				
Worldwide Export	*			

WOLFHOUND-38	WOLFHOUND-64	WOLFHOUND-38-L6	WOLFHOUND-64-L4	
50	mm	100mm		
f/1.0		f/1.4		
8x6	12x10	4x3	6x5	
3X	2X	6X	4X	
2X and 4X				
12X	8X	24X	16X	
384x288, 17µm	640x480, 17µm	384x288, 17µm	640x480, 17μm	
50mK @f/1.0				
50Hz	25Hz	50Hz	25Hz	
4 AA Batteries of Any Type: Lithium, Alkaline, Rechargeable, etc.				
Up to 11	Up to 10	Up to 11	Up to 10	
Up to 300		Up to 600		
Up to	1500	Up to 2700		
210x90x65		280x105x105		
700		1200		
7 Years, Limited				
Available				





DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical features of the product shown herein and/or some of its parts/components may not precisely represent the actual view and values of the working model and are subject to change without prior notice by the sole discretion of the Manufacturer. Contact us for further clarifications. Information contained in this message is proprietary of General Starlight Co., Inc. protected from disclosure, highly confident, and may be privileged. This information is intended to be conveyed only to designated recipients of the message. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, unauthorized use, distribution or copying of this material is strictly prohibited and may be unlawful. Copyright © 1992-2016 General Starlight Co., Inc. Canada. All rights reserved.

<sup>\*</sup> Canadian Export Permit Required. GSCI provides full assistance in obtaining Export Permit



# Thermal Weapon Sights

### What's in The Box: Delivery Set

#### ProHunter Package



**WOLFHOUND Sight** 



Soft Carrying Pouch



Low-Profile Mount



Video-Out Cable



Demist Shield



Hard Case



2 Quick Swap AA Battery Holders



User Manual and 7-Year Warranty

### **Upgrades:**

### Rugged Package

Rugged Package includes contents of the ProHunter Package plus the following equipment:



MAK Mount with Adapter



Side Weaver Rail



Recoil-Absorbing Mount

### (2)

#### Intelli Package

Intelli Package includes contents of the ProHunter Package plus the following equipment:



Stadiametric Rangefinder



Portable Video Recorder



Remote Control with Video Output

Depending on Customer's preference WOLFHOUND and WOLFHOUND-L can be either equipped with MAK Picatinny Mount (1913) or MAK BLASER Mount.





DISCLAIMER. Technical description, view, weight, dimensions, some optical-electronic-mechanical reatures of the product shown herein and/or some of its parts/components may not precisely represent the actual view and values of the working model and are subject to change without prior notice by the sole discretion of the Manufacturer. Contact us for further clarifications. Information contained in this message is proprietary of General Starlight Co., Inc. protected from disclosurer, highly confident, and may be privileged. This information is intended to be conveyed only to designated recipients of the message. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, unauthorized use, distribution or copying of this material is strictly prohibited and may be unlawful. Copyright © 1992-2016 General Starlight Co., Inc. Canada. All rights reserved.